

Strong and long-lasting adhesive

Compatible with recycled granules or additives

Expert technical support for when you need help

When compared to rubber and thermoplastic materials, polyurethane-based adhesives can provide a more cost-effective solution suitable for moulding and processing equipment when formulated accordingly. This is exactly where PearlBond adhesives can help you.

With a broad range of effective mechanical properties, PearlBond adhesive systems also provide a seemingly limitless number of application possibilities. Pearl Polyurethane can develop an appropriate formulation for your application to meet your business needs

Features

- Superior wear resistance
- Good mechanical properties
- Excellent abrasion resistance
- Good tear strength

- Excellent long-term elasticity
- Excellent resiliency
- Good dynamic properties (minimum heat build-up)





Binders for running tracks, children's playground mats, garden tiles, and many other applications or outdoor use cases



Panel lamination adhesives providing comprehensive lamination



Binder for Rebonded Foam



Stone Binders



Moisture-Curing Binders for Marine
Applications



Wood binders for a broad range of structural uses



Binders

Compatible with a wide range of additives, including recycled granules

From running tracks, playground mats, to garden tiles, Rebonded Foam, and even Marine applications, PearlBond binder is suitable for most applications and outdoor use cases in any climatic conditions.

As the preferred alternative to TDI based binders, PearlBond is an MDI based binder - part of a wider portfolio of product options - that can easily be customised for many recycling applications.

Whether it is rubber, cork, stone, flexible foam, PU, or rebonded granules, these can be combined with the PearlBond PU-based binder to create whole new range of value-added products out of previously discarded resources.

The range of product options is seemingly limitless - products that dampen noise and vibration or products that offer improved comfort, slip resistance, or shock absorption, depending on their intended use.

With properties ranging from soft to semi rigid to hard, PearlBond binder offers durable solutions for a variety of applications, from running tracks to garden tiles and playground mats.





Panel lamination adhesives

Providing strong and durable lamination

- Full range of one- and two-component polyurethane adhesives adapted to individual customer's needs
- Suitable for use on continuous, discontinuous and double-belt panel laminators
- A2 filled fire rated systems for dispensing and viper applications available
- Solution enables production efficiency and output at differing speeds
- Enables bonding of aluminium, steel or full-stressed skin materials to polyurethane or polystyrene foam, mineral wool, and cores containing other insulation materials.
- Excellent sealing properties and robust
- Enables laminated panels to absorb structural weight stress while providing superior thermal adaptability
- Good flexibility to cope with expansion due to temperature changes
- Possibility for longer panels with less panel joints providing more cost-effective and rapid production

Wood binders

For a broad range of structural and everyday uses

- Ideal for wood assemblies requiring a strong but flexible bond
- Suitable for use with wood furniture, panelling, doors, windows, stairs, and interior structures, as well as use in the marine sector.
- Superior aging properties
- Deep wetting and adaptable curing speeds
- · Benefit of large bonding interface due to uniform penetration properties



| Properties | Remarks |
|--------------------------------------|--|
| Rubber Binder | Standard rubber binder for moulded cylinders. Moulded cylinders are subsequently peeled off into endless mats, which are finally cut to a certain length or shape. |
| Rubber Binder | Standard rubber binder for moulded parts (rubber tiles or cobblestones). |
| Rubber Binder | Standard rubber binder for outdoor in-situ applications, for example small sport surfaces or playgrounds. Very flexible and soft binder with low reactivity, for example long pot life. It is also a standard prepolymer for Spray Elastomers. |
| Foam Binder | Rebounded foam binder for hot steam curing process. Hot steam curing process: Prepolymer, water and foam flakes are mixed and subsequently cured in a (heated) mould with hot steam. Hot steam curing process is more expensive compared to moisture curing process. |
| Foam Binder | Rebounded foam binder for moisture curing process. Moisture curing process: Prepolymer, water and foam flakes are mixed and subsequently cured in a (heated) mould. Moisture curing process is less expensive compared to hot steam curing process. |
| Stone/Mineral/Ceramics/ Binder | Permeable stone binder for pedestrian and bicycles ways, decorative landscaping. |
| Rubber Binder/Aliphatic | UV stabilized version of self-levelling rubber binder system for EPDM granules. |
| Sandwich Adhesive (Thin Bed Foam) | Composite panel adhesive with adjustable reactivity range. Continuous metal panel. Rockwool panel, EPS panels. |
| Construction Adhesive | DIY construction adhesive, moisture cured. |
| Marine adhesive | DIY construction adhesive, 1K Marine adhesive |
| Construction adhesive | 2K EPS and rockwool adhesive |
| 1K primer | 1K concrete surface primer |
| 1K primer | Steel surface primer |

Product Name



Other product information







Produced according to ISO 9001 and ISO 14001 standards Pearl Polyurethane Systems is an ISCC certified company



About us

Pearl Polyurethane Systems is an award-winning polyurethane solutions innovator and proudly the leading system house in the Middle East and Africa, servicing a wide range of clients globally.

Pearl Polyurethane Systems provides sustainable and durable polyurethanebased solutions for a broad range of clients both regionally and globally from our headquarters in Dubai, United Arab Emirates.



Polyurethane Systems

Your award-winning polyurethane solutions partner

Pearl Polyurethane Systems LLC

P.O. Box 28605, Street 24, Plot No 597 – 1052 Dubai Investment Park 2, Dubai - United Arab Emirates

> Phone: +971 4 8067900 Email: info@pearlpolyurethane.com

www.pearlpolyurethane.com